

BERLIN COLLECTION

FRONT LIT & BACK LIT MIRROR

FRAMED

24" X 36"	KLM-SQ-2436-FPBI
30" X 36"	KLM-SQ-3036-FPBI
36" X 36"	KLM-SQ-3636-FPBI
42" X 36"	KLM-SQ-4236-FPBI
48" X 36"	KLM-SQ-4836-FPBI
60" X 36"	KLM-SQ-6036-FPBI

FRAMELESS

24" X 36"	KLM-SQ-2436-RPBI
30" X 36"	KLM-SQ-3036-RPBI
36" X 36"	KLM-SQ-3636-RPBI
42" X 36"	KLM-SQ-4236-RPBI
48" X 36"	KLM-SQ-4836-RPBI
60" X 36"	KLM-SQ-6036-RPBI



FRAMED
KLM-SQ-2436-FPBI-48



FRAMELESS
KLM-SQ-2436-RPBI

MATERIAL:

High-definition 4mm tempered glass mirror with safety backing.

LIGHTING SPECIFICATION:

- Natural-looking LED light color
- Replaceable LEDs
- CRI: 92
- CCT: 2700K / 3350K / 4000K
- Over 50,000-hour LED lifespan

FRAMED STOCK FINISHES:

- Brushed Nickel (81)
- Matte Black (48)
- Brushed Brass (78)
- Gunmetal (44)
- Cava (37)

WARRANTY:

5-year warranty

FEATURES:

- Anti-fog function with UL/cUL-approved defogger.
- UL/cUL and FCC-approved LED driver.
- Dual touch dimmer switches with on/off control, color temperature adjustment, and brightness adjustment.
- Easy French cleat installation for horizontal or vertical mounting.
- Shockproof packaging suitable for shipping and mailing.
- Memory function saves current settings and resumes them when powered on again.
- To conserve energy, the defogger automatically turns off after one hour.
- 5X magnifying mirror available for individual purchase.

NOTE: Dimensions and specifications are subject to change without notice.

SAFETY SPECIFICATION:

- Enclosed mirror design for enhanced safety and durability, with concealed wiring and components to help extend service life and reduce potential safety hazards.
- Elegant, high-end appearance featuring an aluminum frame with a white acrylic light diffuser for a clean and refined look.
- No exposed LED strips or light beads, providing soft, uniform lighting distribution

EASY INSTALLATION

Bracket hanging system allows all four sides to be mounted for easy and convenient installation.

(See refer to our installation guide for more details)

DIAGRAM & MEASUREMENTS:









DIAGRAM & MEASUREMENTS:

