

MILAN COLLECTION

SQUARE FRAMED MIRROR

INSTALLATION GUIDE



MILAN COLLECTION

FRAMED


24" X 36" KDM-SQ-2436-F

36" X 36" KDM-SQ-3636-F



FRAMED

REQUIRED TOOLS



Level




Pencil



Hammer




Safety Goggles



Electric Drill



Phillips
Screwdriver



Tape Measure

Two-person installation recommended.

BEFORE INSTALLATION


1. Inspect the product upon receipt for any damage or missing parts.
2. Handle with care; protect all edges and surfaces from impact.
3. Ensure you have all required tools before starting (see the list above.)
4. Check for hidden pipes or cables before drilling.
5. When drilling into tiles, apply masking tape to prevent slipping.
6. Test the product to confirm it is functioning properly before installation.

! ATTENTION

1. Do not use attachments not recommended by the manufacturer.
2. Do not drop or insert any objects into the unit.
3. Do not install on damp or conductive surfaces.
4. Suitable for Bathroom Zones 2, 3, and non-bathroom (dry) areas. Refer to the diagram below.
5. Not suitable for installation above baths, in Zone 1, or in saunas, steam rooms, or shower enclosures.




INSTALLATION PROCEDURE




STEP 1

Measure the distance between the two mount points A1 and A2.




STEP 2

Mark the drill positions along the horizontal line. Use a spirit level to ensure they are level.




STEP 3

Wear eye protection when drilling holes in the wall.



STEP 4

Insert wall screws carefully. Leave a distance of 3 mm from the wall.



STEP 5

Place the mirror against the wall and align the hook with the mounted screws. Slowly lower the mirror down and make sure that it slots into the right position and hangs securely.

CARE & MAINTENANCE

1. Clean with a soft, dry, non-abrasive cloth when the unit is off. Do not use cleaning agents or abrasive materials.
2. Do not strike glass components with hard or sharp objects.
3. Avoid placing very hot or cold items near or against glass surfaces.
4. Wipe off water spills promptly using a soft, damp cloth.

